

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (previously presented) A method for preparing a hand-held snack item, said method comprising:

- (a) applying a first edible, heat-sensitive food material to an initial formed hand-held food item that is a grain cake, thereby forming a preliminary coated hand-held food item;
- (b) applying a second edible food coating material to said preliminary coated hand-held food item, thereby forming a secondary coated hand-held food item, wherein said second edible food material is applied to said preliminary coated hand-held food item in such a manner as to substantially completely coat said first edible, heat-sensitive food material, and wherein said second edible food material is selected from a material which possesses sufficient physical characteristics to act as a protective medium for said first edible, heat-sensitive food material when said secondary coated hand-held food item is subjected to a temperature in the range of from about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds; and
- (c) subjecting said secondary coated hand-held food item to a temperature in the range of from about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds, thereby producing a final, coated hand-held snack item wherein said first edible, heat-sensitive food material is substantially intact.

39. (Currently amended) A method of claim 1 further comprising the step of applying a sticky coating to the initial formed hand-held food item before the first edible, heat-sensitive food material is applied to the hand-held food item.

40. (previously presented) A method according to claim 39 wherein said initial formed hand-held food item is prepared from grains selected from the group consisting of rice, corn and popcorn, wherein said preliminary coated hand-held food item comprises from about 1% to about 40% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material is selected from the group consisting of chocolate chips, cheese and dairy products, fruit pieces, cinnamon, chocolate powder, cocoa, pieces of nuts, sesame seeds, pieces of ham, pieces of bacon, and mixtures thereof.

41. (currently amended) A method according to claim 40 wherein said initial formed hand-held food item is a rice cake, wherein said preliminary coated hand-held food item comprises from about 5% to about 30% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item. [[item;]]

43. (previously presented) A method according to claim 41 wherein said preliminary coated hand-held food item comprises from about 10% to about 20% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item; and wherein said first edible, heat-sensitive food material are chocolate chips.

44. (previously presented) A method according to claim 40 wherein said secondary coated hand-held food item comprises from about 5% to about 65% by weight of said first edible, heat-sensitive food material; and from about 10% to about 80% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 10% to about 90% by weight of a viscosity providing agent, from about 5% to about 80% by weight flavoring ingredients, from 0% to about 90% by weight bulking substance, from 0% to about 30% by weight fatty acid glycerides, and the balance being water.

45. (previously presented) A method according to claim 41 wherein said secondary coated hand-held food item comprises from about 10% to about 60% by weight of said first edible, heat-sensitive food material; and from about 20% to about 70% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 20% to about 80% by weight viscosity providing agent selected from the group consisting of sucrose, glucose, fructose, corn syrup and mixtures thereof, from about 5% to about 70% by weight flavoring ingredients selected from the group consisting of salt, cocoa powder, cheese powder, natural and artificial flavoring agents, and mixtures thereof, from 0% to about 80% by weight bulking substance selected from the group consisting of starch, cellulose fiber, bean fiber and mixtures thereof, from about 1% to about 20% by weight fatty acid glycerides selected from the group consisting of vegetable oil, sunflower oil, safflower oil, cottonseed oil, canola oil, soybean oil, and mixtures thereof, with the balance being water.

46. (previously presented) A method according to claim 40 wherein said secondary coated hand-held food item comprises from about 15% to about 30% by weight of said first edible, heat-sensitive food material; and from about 30% to about 60% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 50% to about 70% by weight sucrose, from about 5% to about 15% by weight flavoring ingredients, from about 1% to about 6% by weight vegetable oil, and the balance being water.

47. (previously presented) A method according to claim 43 wherein said secondary coated hand-held food item is dried in an oven by being subjected to a temperature in the range of from about 75°C to about 250°C for a period of time in the range of from about 60 minutes to about 60 seconds.

48. (previously presented) A method according to claim 44 wherein said secondary coated hand-held food item is dried in an oven by being subjected to a temperature in the range of from about 125°C to about 175°C for a period of time in the range of from about 10 minutes to about 2 minutes.

49. (previously presented) A method according to claim 1 wherein said preliminary coated hand-held food item comprises from about 1% to about 50% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item.

50. (previously presented) A method according to claim 49 wherein said preliminary coated hand-held food item comprises from about 5% to about 40% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item.

51. (previously presented) A method according to claim 50 wherein said preliminary coated hand-held food item comprises from about 8% to about 30% by weight of said first edible, heat-sensitive food material, with the balance comprising the initial formed hand-held food item.

52. (previously presented) A method according to claim 49 wherein said secondary coated hand-held food item comprises from about 5% to about 65% by weight of said first edible, heat-sensitive food material; and from about 10% to about 80% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 10% to about 90% by weight of a viscosity providing agent, from about 5% to about 80% by weight flavoring ingredients, from 0% to about 90% by weight bulking substance, from 0% to about 30% by weight fatty acid glycerides, and the balance being water.

53. (previously presented) A method according to claim 50 wherein said secondary coated hand-held food item comprises from about 10% to about 60% by weight of said first edible, heat-sensitive food material; and from about 20% to about 70% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 20% to about 80% by weight viscosity providing agent selected from the group consisting of sucrose, glucose, fructose, corn syrup and mixtures thereof, from about 5% to about 70% by weight flavoring ingredients selected from the group consisting of salt, cocoa powder, cheese powder, natural and artificial flavoring agents, and mixtures thereof, from 0% to about 80% by weight bulking substance selected from the group consisting of starch, cellulose

fiber, bean fiber and mixtures thereof, from about 1% to about 20% by weight fatty acid glycerides selected from the group consisting of vegetable oil, sunflower oil, safflower oil, cottonseed oil, canola oil, soybean oil, and mixtures thereof, with the balance being water.

54. (previously presented) A method according to claim 51 wherein said secondary coated hand-held food item comprises from about 15% to about 30% by weight of said first edible, heat-sensitive food material; and from about 30% to about 60% by weight of said second edible food coating material, with the balance comprising the initial formed hand-held food item; and wherein said second edible food coating material is a liquid syrup composition comprising from about 30% to about 70% by weight viscosity providing agent selected from the group consisting of sucrose, glucose, fructose, corn syrup and mixtures thereof, from about 5% to about 30% by weight flavoring ingredients selected from the group consisting of salt, cocoa powder, cheese powder, natural and artificial flavoring agents, and mixtures thereof, from about 20% to about 70% by weight bulking substance selected from the group consisting of starch, cellulose fiber, bean fiber and mixtures thereof, from about 1% to about 10% by weight fatty acid glycerides selected from the group consisting of vegetable oil, sunflower oil, safflower oil, cottonseed oil, canola oil, soybean oil, and mixtures thereof, with the balance being water.

55. (previously presented) A method according to claim 52 wherein said secondary coated hand-held food item is dried in an oven by being subjected to a temperature in the range of from about 75°C to about 250°C for a period of time in the range of from about 60 minutes to about 60 seconds.

56. (previously presented) A method according to claim 53 wherein said secondary coated hand-held food item is dried in an oven by being subjected to a temperature in the range of from about 125°C to about 175°C for a period of time in the range of from about 10 minutes to about 2 minutes.

57. (previously presented) A method according to claim 1 wherein said first edible, heat-sensitive food material is selected from the group consisting of chocolate chips, cheese and dairy products, fruit pieces, cinnamon, chocolate powder, cocoa, pieces of nuts, sesame seeds, pieces of ham, pieces of bacon, and mixtures thereof.

58. (previously presented) A method according to claim 57 wherein said first edible, heat-sensitive food material is selected from the group consisting of cheese and dairy products, pieces of ham, pieces of bacon, cinnamon, and mixtures thereof.

59. (previously presented) A method according to claim 58 wherein said first edible, heat-sensitive food material is selected from the group consisting of cheese and dairy products, pieces of ham, pieces of bacon and mixtures thereof.

60. (previously presented) A method according to claim 59 wherein said first edible, heat-sensitive food material is selected from the group consisting of cheese and dairy products.

61. (previously presented) A method according to claim 1 wherein the initial hand-held food item is conveyed along a first conveyor and the first edible, heat-sensitive food material is conveyed along a second conveyor elevated above said first conveyor and oriented in such a manner that the initial formed hand-held food items

pass under the terminating edge of the second conveyor allowing the edible, heat-sensitive food material to drop onto the top of the initial formed hand-held food item.

62. (previously presented) A method according to claim 1 wherein the initial hand-held food item is conveyed along a first conveyor and the first edible, heat-sensitive food material is applied to the initial hand-held food item via a vibratory tray elevated above said first conveyor and oriented in such a manner that the initial formed hand-held food items pass under the vibratory tray allowing the edible, heat-sensitive food material to drop onto the top of the initial formed hand-held food item.

63. (previously presented) A method according to claim 1 wherein the initial hand-held food item is conveyed along a first conveyor and the first edible, heat-sensitive food material is applied via a hopper elevated above the first conveyor and oriented in such a manner that the initial formed hand-held food items pass under the hopper allowing the edible, heat-sensitive food material to drop onto the top of the initial formed hand-held food item.

64. (previously presented) A method according to claim 1 wherein the preliminary coated hand-held food item is conveyed along a first conveyor and the second edible food coating material is a liquid and is applied via a sprayer.

65. (previously presented) A method according to claim 1 wherein the preliminary coated hand-held food item is conveyed along a first conveyor and the second edible food coating material is applied via a hopper elevated above the first conveyor and oriented in such a manner that the preliminary coated hand-held food item passes under the hopper allowing the edible food coating material to drop onto the top of the preliminary coated hand-held food item.

66. (previously presented) A method according to claim 65 wherein the edible food coating material is liquid syrup.

67. (currently amended) A method according to claim 65 wherein the second edible food coating material is comprises a powder that liquefies upon heating ~~and then evaporates to absorb heat.~~

68. (currently amended) A method according to claim 1 wherein the edible food coating material is comprises a powder that liquefies upon heating and then evaporates to absorb heat.

69. (previously presented) A method according to claim 1 wherein said secondary coated edible food item is dried to contain from about 0.5% to about 6% moisture.

70. (previously presented) A method according to claim 1 wherein said secondary coated edible food item is dried to contain from about 1% to about 5% moisture.

71. (previously presented) A method according to claim 1 wherein said secondary coated edible food item is dried to contain from about 2% to about 4% moisture.

72. (previously presented) A method for preparing a hand-held snack item, comprising:

- (a) applying a first edible, heat-sensitive food material to an initial formed hand-held food item, thereby forming a preliminary coated hand-held food item;
- (b) applying a heat-absorbing material to said preliminary coated hand-held food item thereby forming a secondary coated hand-held food item, the heat-absorbing material capable of liquefying to act as a protective medium for said edible, heat-sensitive food material when subjected to a temperature in the range of from about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds; and
- (c) subjecting said secondary coated hand-held food item to a temperature in the range of from about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds to cause the heat absorbing material to liquefy, and thereafter cooling the snack item to produce a final, coated hand-held snack item wherein said edible, heat-sensitive food material is substantially intact.

73. (previously presented) The method of claim 72 wherein the heat-absorbing material comprises a powder that substantially completely coats said first edible, heat sensitive food material.

74. (previously presented) A method for preparing a grain cake, comprising:

- (a) combining an edible, liquid food coating material with an edible, heat-sensitive food material to form a primary edible, liquid food coating material, the edible, liquid food coating material acting as a protective medium for the heat-sensitive food material when the primary edible, liquid food coating material is subjected to a temperature in the range of from

about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds;

- (b) applying the primary edible, liquid food coating material to a grain cake, thereby forming a coated grain cake; and
- (c) subjecting said coated grain cake to a temperature in the range of from about 35°C to about 350°C for a period of time in the range of from about 10 hours to about 30 seconds, thereby producing a final, coated grain cake wherein the edible, heat-sensitive food material is substantially intact.

75. (previously presented) A method for preparing a hand-held snack item, comprising:

- (a) applying a first edible, heat-sensitive food material to an initial formed hand-held food item, thereby forming a preliminary coated hand-held food item;
- (b) applying a protective curable powdered material to said preliminary coated hand-held food item thereby forming a secondary coated hand-held food item, the protective curable powdered material capable of curing by liquefying when heated and drying as a solid film to protect the edible, heat-sensitive food material when subjected to an elevated temperature and drying; and
- (c) subjecting said secondary coated hand-held food item to an elevated temperature to liquefy and dry the curable powdered material to produce a final, coated hand-held snack item wherein the edible, heat-sensitive food material is substantially intact.